

ANCON PROJECT RECORDING FORM

AGE/SEX, STATURE, AND DENTAL WEAR & PATHOLOGY

Site Name/Number ANCON / Observer MJP
 Feature/Burial Number / Date 2/1/2010
 Burial/Skeleton Number 40008 /
 Present Location of Collection 2407.05.03

Age & Sex

Estimated Sex F Estimated Age 20

Comments:

*Definitely female - as corac & cranium agree
 difficult to age with weathered pubic symphyses but based on
 well worn teeth, presence of LM³ & open cranial sutures*

Stature

Femur: Maximum Length: distance from the most superior point on the head of the femur to most inferior point on the distal condyle. Place the medial condyle against the vertical endboard while applying the movable upright to the femoral head. Use the right femur unless incomplete or absent.

Tibia: Length: distance from the superior articular surface of the lateral condyle to the tip of the medial malleolus. Place the tibia on the osteometric board, resting on its posterior surface with the longitudinal axis parallel to the instrument. Place the lip of the medial malleolus on the vertical endboard and press the movable upright against the proximal articular surface of the lateral condyle. Use the right tibia unless incomplete or absent.

Femur Length (cm) 38.5 Tibia Length (cm) 33.0

Comments:

Dental Inventory

Tooth Presence: code 1-8 (see *Standards*). **Occlusal surface wear:** use left teeth, following Smith (1984) for anterior teeth (code 1-8) and Scott (1979) for molars (code 0-10). If marked asymmetry is present, record both sides. Record each molar quadrant separate in the spaces provided (+) and the total for all four quadrants under "Total." **Caries:** code each carious lesion separately (1-7); **Abscesses:** code location (1-2).

	Tooth Presence	Wear/Total	Caries	Abscess
Maxillary	1M ³ <u>5</u>	— —	— — — —	—
Right	2M ² <u>2</u>	— —	— — — —	—
	3M ¹ <u>2</u>	— —	— — — —	—
	4P ² <u>2</u>	— — — —	— — — —	—
	5P ¹ <u>2</u>	— — — —	— — — —	—
	6C <u>5</u>	— — — —	— — — —	—
	7I ² <u>5</u>	— — — —	— — — —	—

	Tooth	Presence	Wear/Total	Caries	Abscess
	8I ¹	5	_____	_____	_____
Maxillary	9I ₁	5	_____	_____	_____
Left	10I ₂	5	_____	_____	_____
	11C	7	_____	_____	_____
	12P ₁	2	1 1	_____	_____
	13P ₂	2	1 1	_____	_____
	14M ₁	2	2 5 15	_____	_____
	15M ₂	2	2 3 10	_____	_____
	16M ₃	2	1 1 4	_____	_____
Mand.	17M ₃	1	_____	_____	_____
Left	18M ₂	2	2 2 8	1	_____
	19M ₁	2	2 2 8	1 1	_____
	20P ₂	2	1 1	_____	_____
	21P ₁	2	1 1	_____	_____
	22C	5	_____	_____	_____
	23I ₂	7	_____	_____	_____
	24I ₁	5	_____	_____	_____
Mand.	25I ₁	7	_____	_____	_____
Right	26I ₂	7	_____	_____	_____
	27C	7	_____	_____	_____
	28P ₁	2	_____	_____	_____
	29P ₂	2	_____	_____	_____
	30M ₁	2	_____	_____	_____
	31M ₂	2	_____	1	_____
	32M ₃	_____	_____	_____	_____

Comments: heavily worn/chipped incisor fragment in envelope

ADULT SEX/AGE RECORDING FORM

Site Name/Number ANCON / 1 Observer MJP

Feature/Burial Number _____ / _____ Date 2/1/2010

Burial/Skeleton Number 40008 / _____

Present Location of Collection 2407.05.03

SEX

Pelvis	L	R	Skull	L	M	R
Ventral Arc (1-3)	<u>1</u>	<u>1</u>	Nuchal Crest (1-5)	<u>3</u>		<u>3</u>
Subpubic Concavity (1-3)	<u>1</u>	<u>1</u>	Mastoid Process (1-5)	<u>1</u>		<u>1</u>
Ischiopubic Ramus Ridge (1-3)	<u>1</u>	<u>1</u>	Supraorbital Margin (1-5)	<u>1</u>		<u>1</u>
Greater Sciatic Notch (1-5)	<u>2</u>	<u>2</u>	Glabella (1-5)	<u>1</u>		<u>1</u>
Preauricular Sulcus (0-4)	<u>2</u>	<u>2</u>	Mental Eminence (1-5)		<u>1</u>	
Estimated Sex, Pelvis (0-5)	<u>1</u>		Estimated Sex, Skull (0-5)	<u>1</u>		

Comments:

Definitely female - os coxae + cranium agree

Series/Burial/Skeleton 40008

Observer/Date MJP 2/1/2010

AGE

Pubic Symphysis	L	R		L	R
Todd (1-10)	_____	_____		_____	_____
Suchey-Brooks (1-6)	_____	_____	Auricular Surface (1-8)	_____	_____

Suture Closure (blank = unobservable; 0 = open; 1 = minimal; 2 = significant; 3 = complete)

External Cranial Vault	1. Midlambdoid	<u>0</u>	Palate	11. Incisive	<u>3</u>
	2. Lambda	<u>0</u>		12. Anterior Median Palatine	<u>2</u>
	3. Obelion	<u>0</u>		13. Posterior Median Palatine	<u>3</u>
	4. Anterior Sagittal	<u>0</u>		14. Transverse Palatine	<u>1</u>
	5. Bregma	<u>0</u>	Internal Cranial Vault	15. Sagittal	_____
	6. Midcoronal	<u>1</u>		16. Left Lambdoid	_____
	7. Pterion	<u>3</u>		17. Left Coronal	_____
	8. Sphenofrontal	<u>3</u>			
	9. Inferior Sphenotemporal	<u>2</u>			
	10. Superior Sphenotemporal	<u>3</u>			

Estimated Age: Young Adult (20-35 years)
Middle Adult (35-50 years) _____
Old Adult (50+ years) _____

Comments:

*pubic symphysis too weathered to age
base on weariness (or lack thereof) on teeth,
presence of LM³ & openness of cranial
sutures*