

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

1

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa** (ven.) Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



1 *Allobates femoralis*
< 35mm foto: DHR
AROMOBATIDAE



2 *Allobates femoralis*
< 35mm foto: MET
AROMOBATIDAE



3 *Allobates* sp. 1
< 19mm foto: GFM
AROMOBATIDAE



4 *Allobates* sp. 1
< 19mm foto: MET
AROMOBATIDAE



5 *Allobates* sp. 2
< 18mm foto: GFM
AROMOBATIDAE



6 *Allobates* sp. 2
< 18mm foto: MET
AROMOBATIDAE



7 *Amazophrynella* aff. *minuta*
< 17mm foto: GFM
BUFONIDAE



8 *Amazophrynella* aff. *minuta*
< 17mm foto: GFM
BUFONIDAE



9 *Amazophrynella* aff. *minuta*
< 17mm foto: GFM
BUFONIDAE



10 *Amazophrynella* aff. *minuta*
< 17mm foto: GFM
BUFONIDAE



11 *Amazophrynella* sp. 1
< 19mm foto: GFM
BUFONIDAE



12 *Amazophrynella* sp. 1
< 19mm foto: GFM
BUFONIDAE



13 *Rhinella ceratophrys*
< 107mm foto: GFM
BUFONIDAE



14 *Rhinella ceratophrys*
< 107mm foto: MET
BUFONIDAE



15 *Rhinella dapsilis*
< 93mm foto: GFM
BUFONIDAE



16 *Rhinella margaritifera*
< 78mm foto: GFM
BUFONIDAE



17 *Rhinella margaritifera* (juv.)
foto: GFM
BUFONIDAE



18 *Rhinella margaritifera* (juv.)
foto: GFM
BUFONIDAE



19 *Rhinella marina*
< 225 mm foto: MET
BUFONIDAE



20 *Hyalinobatrachium cappellei*
< 25mm foto: GFM
CENTROLENIDAE

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

2

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa** (ven.) Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

(amphibiaweb.org, bioweb.bio/faunaweb.html).

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



21 *Hyalinobatrachium cappellei*
< 25mm foto: GFM
CENTROLENIDAE



22 *Teratohyla midas*
< 26mm foto: GFM
CENTROLENIDAE



23 *Teratohyla midas*
< 26mm foto: MET
CENTROLENIDAE



24 *Ceratophrys cornuta*
< 118mm foto: GFM
CERATOPHRIDAE



25 *Ceratophrys cornuta*
< 118mm foto: GFM
CERATOPHRIDAE



26 *Oreobates quixensis*
< 55mm foto: MET
CRAUGASTORIDAE



27 *Oreobates quixensis*
< 55mm foto: MET
CRAUGASTORIDAE



28 *Pristimantis altamazonicus*
< 30mm foto: GFM
CRAUGASTORIDAE



29 *Pristimantis altamazonicus*
< 30mm foto: GFM
CRAUGASTORIDAE




30 *Pristimantis variabilis*
< 27mm foto: MET
CRAUGASTORIDAE



31 *Pristimantis variabilis*
< 27mm foto: MET
CRAUGASTORIDAE



32 *Ameerega hahneli*
< 23mm foto: GFM
DENDROBATIDAE



33 *Ameerega hahneli*
< 23mm foto: DHR
DENDROBATIDAE



34 *Ameerega hahneli*
< 23mm foto: DHR
DENDROBATIDAE



35 *Ranitomeya variabilis*
< 19mm foto: GFM
DENDROBATIDAE



36 *Ranitomeya variabilis*
< 19mm foto: GFM
DENDROBATIDAE



37 *Boana alfaroi*
< 49mm foto: GFM
HYLIDAE



38 *Boana alfaroi*
< 49mm foto: GFM
HYLIDAE



39 *Boana calcarata*
< 57mm foto: GFM
HYLIDAE



40 *Boana cinerascens* (h)
< 38mm foto: GFM
HYLIDAE

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

3

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa** (ven.) Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

(amphibiaweb.org, bioweb.bio/faunaweb.html).

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



41 *Boana cinerascens*
< 38mm
HYLIDAE foto: MET



42 *Boana geographica*
< 83mm
HYLIDAE foto: GFM



43 *Boana geographica*
< 83mm
HYLIDAE foto: GFM



44 *Boana lanciformis*
< 85mm
HYLIDAE foto: GFM



45 *Boana lanciformis*
< 85mm
HYLIDAE foto: MET



46 *Boana nympa*
< 37mm
HYLIDAE foto: GFM



47 *Boana nympa*
< 37mm
HYLIDAE foto: MET



48 *Boana punctata*
< 42mm
HYLIDAE foto: MET



49 *Boana punctata*
< 42mm
HYLIDAE foto: BC



50 *Boana punctata* (fluorescencia)
< 42mm
HYLIDAE foto: JEG



51 *Dendropsophus bokermanni*
< 26mm
HYLIDAE foto: GFM




52 *Dendropsophus brevifrons*
< 24mm
HYLIDAE foto: DHR



53 *Dendropsophus brevifrons*
< 24mm
HYLIDAE foto: GFM



54 *Dendropsophus parviceps*
< 25mm
HYLIDAE foto: GFM



55 *Dendropsophus parviceps*
< 25mm
HYLIDAE foto: GFM



56 *Dendropsophus reticulatus*
< 40mm
HYLIDAE foto: GFM



57 *Dendropsophus reticulatus*
< 40mm
HYLIDAE foto: GFM



58 *Dendropsophus rhodopeplus*
< 28mm
HYLIDAE foto: GFM



59 *Dendropsophus rhodopeplus*
< 28mm
HYLIDAE foto: GFM



60 *Dendropsophus sarayacuensis*
< 38mm
HYLIDAE foto: DHR

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

4

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa** (ven.) Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

(amphibiaweb.org, bioweb.bio/faunaweb.html).

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



61 *Dendropsophus sarayacuensis*
< 38mm foto: MET
HYLIDAE



62 *Dendropsophus shiwiarum*
< 19mm foto: MET
HYLIDAE



63 *Dendropsophus shiwiarum*
< 19mm foto: MET
HYLIDAE



64 *Osteocephalus leprieurii* (h)
< 48mm foto: GFM
HYLIDAE



65 *Osteocephalus leprieurii* (h)
< 48mm foto: GFM
HYLIDAE



66 *Osteocephalus leprieurii* (m)
< 48mm foto: GFM
HYLIDAE



67 *Osteocephalus planiceps*
< 85mm foto: GFM
HYLIDAE



68 *Osteocephalus planiceps*
< 85mm foto: GFM
HYLIDAE



69 *Osteocephalus planiceps*
< 85mm foto: MET
HYLIDAE



70 *Osteocephalus taurinus* (h)
< 102mm foto: MET
HYLIDAE



71 *Osteocephalus taurinus* (h)
< 102mm foto: MET
HYLIDAE



72 *Osteocephalus taurinus* (m)
< 102mm foto: GFM
HYLIDAE



73 *Osteocephalus taurinus* (m)
< 102mm foto: GFM
HYLIDAE



74 *Osteocephalus taurinus* (juv.)
< 102mm foto: MET
HYLIDAE



75 *Osteocephalus taurinus* (juv.)
< 102mm foto: MET
HYLIDAE




76 *Osteocephalus yasuni*
< 62mm foto: GFM
HYLIDAE



77 *Osteocephalus yasuni*
< 62mm foto: MET
HYLIDAE



78 *Osteocephalus* sp. 1
< 92mm foto: GFM
HYLIDAE



79 *Osteocephalus* sp. 1
< 92mm foto: GFM
HYLIDAE



80 *Osteocephalus* sp. 2
< 56mm foto: GFM
HYLIDAE

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

5

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa** (ven.) Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

(amphibiaweb.org, bioweb.bio/faunaweb.html).

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



81 *Scinax cruentommus*
< 31mm foto: MET
HYLIDAE



82 *Scinax cruentommus*
< 31mm foto: MET
HYLIDAE




83 *Scinax funereus*
< 39mm foto: GFM
HYLIDAE



84 *Scinax funereus*
< 39mm foto: MET
HYLIDAE



85 *Scinax garbei*
< 48mm foto: GFM
HYLIDAE



86 *Scinax garbei*
< 48mm foto: MET
HYLIDAE



87 *Scinax ictericus*
< 33mm foto: GFM
HYLIDAE



88 *Scinax* sp. 1
< 31mm foto: GFM
HYLIDAE



89 *Trachycephalus typhonius*
< 115mm foto: GFM
HYLIDAE



90 *Adenomera andreae*
< 23mm foto: GFM
LEPTODACTYLIDAE



91 *Adenomera andreae*
< 23mm foto: GFM
LEPTODACTYLIDAE



92 *Adenomera hylaedactyla*
< 28mm foto: GFM
LEPTODACTYLIDAE



93 *Adenomera hylaedactyla*
< 28mm foto: GFM
LEPTODACTYLIDAE



94 *Leptodactylus knudseni*
< 171mm foto: GFM
LEPTODACTYLIDAE



95 *Leptodactylus leptodactyloides*
< 57mm foto: GFM
LEPTODACTYLIDAE



96 *Leptodactylus leptodactyloides*
< 57mm foto: GFM
LEPTODACTYLIDAE



97 *Leptodactylus leptodactyloides*
< 57mm foto: GFM
LEPTODACTYLIDAE



98 *Leptodactylus mystaceus*
< 57mm foto: MET
LEPTODACTYLIDAE



99 *Leptodactylus mystaceus*
< 57mm foto: MET
LEPTODACTYLIDAE



100 *Leptodactylus pentadactylus*
< 196mm foto: GFM
LEPTODACTYLIDAE

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

6

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa** (ven.) Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

(amphibiaweb.org, bioweb.bio/faunaweb.html).

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



101 *Leptodactylus petersii*
< 52mm foto: GFM
LEPTODACTYLIDAE



102 *Leptodactylus rhodomystax*
< 90mm foto: GFM
LEPTODACTYLIDAE



103 *Leptodactylus rhodomystax*
< 90mm foto: GFM
LEPTODACTYLIDAE



104 *Leptodactylus rhodomystax*
< 90mm foto: MET
LEPTODACTYLIDAE




105 *Leptodactylus wagneri*
< 82mm foto: GFM
LEPTODACTYLIDAE



106 *Leptodactylus wagneri*
< 82mm foto: MET
LEPTODACTYLIDAE



107 *Leptodactylus wagneri*
< 82mm foto: MET
LEPTODACTYLIDAE



108 *Leptodactylus wagneri*
< 82mm foto: MET
LEPTODACTYLIDAE



109 *Lithodytes lineatus*
57mm foto: GFM
LEPTODACTYLIDAE



110 *Lithodytes lineatus*
< 57mm foto: MET
LEPTODACTYLIDAE




111 *Chiasmocleis bassleri*
< 22mm foto: GFM
MICROHYLIDAE



112 *Callimedusa tomopterna*
< 82mm foto: DHR
PHYLLOMEDUSIDAE



113 *Phyllomedusa tarsius*
< 112mm foto: GFM
PHYLLOMEDUSIDAE



114 *Phyllomedusa tarsius*
< 112mm foto: MET
PHYLLOMEDUSIDAE



115 *Phyllomedusa vaillantii*
< 84mm foto: GFM
PHYLLOMEDUSIDAE



116 *Phyllomedusa vaillantii*
< 84mm foto: MET
PHYLLOMEDUSIDAE



117 *Lithobates palmipes*
< 127mm foto: GFM
RANIDAE



118 *Lithobates palmipes*
< 127mm foto: DHR
RANIDAE



119 *Caiman crocodilus*
< 2.75m foto: GFM
ALLIGATORIDAE



120 *Paleosuchus palpebrosus*
< 1.75m foto: DHR
ALLIGATORIDAE

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

7

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa** (ven.) Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

(amphibiaweb.org, bioweb.bio/faunaweb.html).

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



121 *Paleosuchus palpebrosus*
< 1.75m foto: GFM
ALLIGATORIDAE



122 *Anolis fuscoauratus*
< 55mm foto: MET
DACTYLOIDAE



123 *Anolis fuscoauratus* (m)
< 55mm foto: GFM
DACTYLOIDAE



124 *Anolis scypheus*
< 79mm foto: GFM
DACTYLOIDAE



125 *Anolis scypheus* (m)
< 79mm foto: MET
DACTYLOIDAE



126 *Anolis transversalis* (h)
< 86mm foto: GFM
DACTYLOIDAE



127 *Anolis transversalis* (h)
< 86mm foto: MET
DACTYLOIDAE



128 *Arthrosaura reticulata* (m)
< 71mm foto: GFM
GYMNOPHTHALMIDAE



129 *Loxopholis parietalis* (m)
< 41mm foto: GFM
GYMNOPHTHALMIDAE



130 *Loxopholis parietalis* (m)
< 41mm foto: GFM
GYMNOPHTHALMIDAE



131 *Potamites ecpleopus* (m)
< 68mm foto: GFM
GYMNOPHTHALMIDAE



132 *Iguana iguana* (m)
< 551mm foto: GFM
IGUANIDAE



133 *Iguana iguana* (juv.)
foto: DHR
IGUANIDAE



134 *Enyalioides laticeps* (m)
< 158mm foto: DHR
HOPLOCERCIDAE



135 *Gonatodes concinnatus* (m)
< 49mm foto: GFM
SPHAERODACTYLIDAE



136 *Gonatodes concinnatus* (juv.)
< 20mm foto: GFM
SPHAERODACTYLIDAE



137 *Gonatodes humeralis* (m)
< 42mm foto: GFM
SPHAERODACTYLIDAE



138 *Gonatodes humeralis* (h)
< 42mm foto: MET
SPHAERODACTYLIDAE



139 *Ameiva ameiva*
< 175mm foto: GFM
TEIIDAE



140 *Ameiva ameiva*
< 175mm foto: GFM
TEIIDAE

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

8

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa (ven.)** Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

(amphibiaweb.org, bioweb.bio/faunaweb.html).

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



141 *Kentropyx pelviceps*
< 131mm
TEIIDAE foto: GFM



142 *Corallus hortulanus*
< 1.9m
BOIDAE foto: MET



143 *Corallus hortulanus*
< 1.9m
BOIDAE foto: GFM



144 *Corallus hortulanus*
< 1.9m
BOIDAE foto: GFM



145 *Corallus hortulanus*
< 1.9m
BOIDAE foto: GFM



146 *Epicrates cenchria*
< 2.0m
BOIDAE foto: GFM



147 *Eunectes murinus*
< 7.0m
BOIDAE foto: GFM



148 *Chironius fuscus*
< 1.2m
COLUBRIDAE foto: GFM



149 *Chironius multiventris*
< 1.7m
COLUBRIDAE foto: GFM



150 *Chironius multiventris*
< 1.7m
COLUBRIDAE foto: GFM



151 *Chironius scurrulus*
< 2.3m
COLUBRIDAE foto: YRL



152 *Dendrophidion dendrophis*
< 694mm
COLUBRIDAE foto: GFM



153 *Dipsas catesbyi*
< 600mm
COLUBRIDAE foto: GFM



154 *Drepanoides anomalus*
< 663mm
COLUBRIDAE foto: GFM



155 *Erythrolamprus typhlus*
< 853mm
COLUBRIDAE foto: GFM



156 *Helicops angulatus*
< 680mm
COLUBRIDAE foto: GFM




157 *Helicops angulatus*
< 680mm
COLUBRIDAE foto: GFM



158 *Imantodes cenchoa*
< 902mm
COLUBRIDAE foto: GFM



159 *Imantodes cenchoa*
< 902mm
COLUBRIDAE foto: DHR



160 *Leptophis ahaetulla*
< 1.2m
COLUBRIDAE foto: GFM

ANFIBIOS y REPTILES del Bajo Caguán-Caquetá, Colombia

9

Guido F. Medina-Rangel¹, Diego H. Ruiz-Valderrama², y Michelle E. Thompson³

¹Universidad Nacional de Colombia, ²Universidad de la Amazonia, ³Field Museum

Fotos: Brayan Coral-Jaramillo (BC), Jorge E. García-Melo (JEG), Yeny Rocio López-Perilla (YRL), Guido F. Medina-Rangel (GFM), Diego H. Ruiz-Valderrama (DHR), Michelle E. Thompson (MET)

© Michelle E. Thompson [mthompson@fieldmuseum.org]

hembra (h), macho (m), juvenil (juv.), **venenosa (ven.)** Tamaño máximo longitud rostro-cloacal (ranas, sapos, lagartos, serpientes) y longitud del caparazón (tortugas)

(amphibiaweb.org, bioweb.bio/faunaweb.html).

[fieldguides.fieldmuseum.org] [1059] versión 1 7/2018



161 *Leptophis ahaetulla*
< 1.2m foto: GFM
COLUBRIDAE



162 *Oxyrhopus petolarius*
< 907mm foto: GFM
COLUBRIDAE



163 *Oxyrhopus vanidicus*
< 907mm foto: GFM
COLUBRIDAE



164 *Oxyrhopus vanidicus*
< 907mm foto: DHR
COLUBRIDAE



165 *Philodryas argentea*
< 788mm foto: GFM
COLUBRIDAE



166 *Philodryas argentea*
< 788mm foto: DHR
COLUBRIDAE



167 *Siphlophis cervinus*
< 991mm foto: GFM
COLUBRIDAE



168 *Spilotes pullatus*
< 2.0 m foto: GFM
COLUBRIDAE



169 *Micrurus hemprichii* (ven.)
< 810mm foto: GFM
ELAPIDAE



170 *Micrurus langsdorffi* (ven.)
< 710 mm foto: MET
ELAPIDAE



171 *Micrurus lemniscatus* (ven.)
< 1.2m foto: MET
ELAPIDAE



172 *Bothrops atrox* (ven.)
< 1.5m foto: GFM
VIPERIDAE



173 *Bothrops atrox* (ven.)
< 1.5m foto: GFM
VIPERIDAE



174 *Chelus fimbriata*
< 527mm foto: GFM
CHELIDAE



175 *Mesoclemmys gibba*
< 181mm foto: GFM
CHELIDAE



176 *Platemys platycephala*
< 181mm foto: GFM
CHELIDAE



177 *Podocnemis expansa*
< 891mm foto: GFM
PODOCNEMIDIDAE



178 *Podocnemis unifilis*
< 501mm foto: GFM
PODOCNEMIDIDAE



179 *Podocnemis unifilis* (juv.)
< 821mm foto: GFM
PODOCNEMIDIDAE



180 *Chelonoidis denticulatus*
< 821mm foto: GFM
TESTUDINIDAE